


2006 Swift Motorhomes

Warranty & Service Handbook

Kon-Tiki
Sundance



Quality with Style



CONTENTS

Warranty.....	2
What to do if you Require Assistance	4
Annual Service/Inspection Record	5
Specifications.....	8
Capacities - Water and Gas	12
Towing Capabilities.....	13
Jacking.....	15
Wiring Diagrams.....	16
Bulb Replacement	19
Owners Club	20
Change of Ownership.....	24

Warranty

All the illustrations and descriptive matter in this handbook are intended to give a general idea of the motorhome. Changing market and supply situations and our policy of continuous product development may prevent us from maintaining the exact specifications detailed in this handbook. We therefore reserve the right to alter specifications as materials and conditions demand.

Dealers are not agents of Swift Group Limited, the manufacturer of Swift Group motorhomes and have absolutely no authority to bind the manufacturer by any express or implied undertaking or representation.

All motorhomes (other than the engine, chassis cab and associated parts referred to earlier in this handbook which are subject to the relevant chassis manufacturer's warranty) have a 3 year SuperSure manufacturer's warranty from the date of purchase (or hire purchase), which is subject to a chargeable annual service and inspection being carried out at an authorised Swift Group Service Centre.

During the warranty period, subject to the exclusions set out in this section of the handbook, the manufacturer, Swift Group Limited, will repair (or at its option, replace) all defective parts of the motorhome. For any

engine, chassis cab and associated parts warranty issues please contact your local Fiat Agent.

The manufacturer will honour the warranty until 36 months from the date of sale, provided that the motorhome has been serviced annually within 90 days before or 60 days after each anniversary of the original date of sale. The third service must, however, be carried out before the expiry of the 36 month period from the original date of sale.

In the first 12 months the warranty will cover:

Faults arising from a manufacturing defect but not those which are a result of normal wear and tear or those which relate to replacement light bulbs.

Also not covered under the first year are faults resulting from accidental damage or damage caused by misuse of any component part of the motorhome.

In the years two and three the warranty will cover:

1. All original components of the motorhome including permanently fitted equipment forming part of the manufacturer's original specification.
2. Water ingress and body delamination

Specific exclusions to Supersure Warranty during Years 2 and 3

- Glass including heat shields, sink lids, mirrors.
- Paintwork including all exterior paint, heat shields, heater cases and all other painted surfaces.
- Decals, mirror transfers, resin badges.
- GRP/ABS wheel spats and skirts.
- Cosmetic finishes to kitchen sinks, cooker tops, vanity units, shower trays.
- Soft furnishings including upholstery, curtains, pelmets.
- Carpets, lino and floor coverings including door mats, shower mats.
- Work surfaces, tables, and flaps.
- Wallboards, ceiling boards and all other interior décor finishes.
- Window catches, stays and associated fittings.
- Blinds and flyscreens including door, Heki and other rooflights.
- All hinges, catches, knobs, stays and handles (interior and exterior).
- Adjustment of external doors and lockers.

Warranty

- Replacement of bulbs, fluorescent tubes, fuses and electrical connections including 12n and 12s plugs, high level brake lights and bulb contacts.
- Adjustment and natural movement of internal doors, flaps and furniture.
- Audio equipment including radios, speakers, aerials and associated parts.
- Bent corner steadies.
- Fair wear and tear, accidental damage or any damage caused by the misuse of any component fitted by the manufacturer.
- Routine maintenance items which are part of the annual service including lubricants, rubber gas hose, the cleaning of the heater and fridge flues, the replacement of gas jets, the resealing and/or replacement of shower room sealant, and the adjustment and lubrication of locks.

General terms applying to all three years of the warranty period

The motorhome is not covered for:-

- The failure of a component for reasons of fair wear and tear.
- Damage resulting from accidents.
- Misuse of any component.

- Normal deterioration or negligence of any person other than the Swift Group Limited which causes stoppage of or impairment to the function of any component of the motorhome.
- Replacement of parts which have reached the end of their effective working life because of age and/or usage.
- Cleaning or adjustment of any assemblies.

The warranty will be invalidated if the motorhome has been neglected, misused, modified or for hire or reward. The motorhome will be deemed to have been neglected if it has not been serviced and maintained as stated in this handbook.

The warranty only applies to motorhomes purchased and used within the UK, and for continuous journeys abroad of no longer than 90 days per journey.

The cost of transporting, towing or moving the motorhome by any means to or from the place of repair is the responsibility of the owner.

The benefit of this warranty may be transferred to a new owner if the motorhome is sold, provided that the motorhome has been serviced by an authorised Swift Group Service Centre in accordance with the requirements of this handbook, and details

of the change of ownership have been supplied to Swift Group using the change of ownership form set out in this handbook. Failure to notify Swift Group of a change of ownership within 14 days of such a change will invalidate the warranty.

This warranty only applies to motorhomes purchased in the UK.

You have legal rights under UK law governing the sale of consumer goods. This warranty does not affect your legal rights.

The name and address of the warranty provider is:-

Swift Group Limited
Dunswell Road
Cottingham
East Yorkshire
HU16 4JX

To make a claim under this warranty, contact the Swift Group Service Centre which supplied your motorhome. Alternatively, details of your nearest authorised Swift Group Service Centre can be obtained by contacting the Swift Group Customer Care Department on 01482 875740, or enquiring on the website www.swiftleisure.co.uk

WHAT TO DO IF YOU REQUIRE ASSISTANCE

Congratulations on purchasing a Swift product. We are confident that you will enjoy many happy holidays. However, should you have an enquiry or require assistance with a problem, we hope that this guide will be of assistance to you.

If you have a problem, or enquiry with regards to your new motorhome, please follow these steps:

1. Check the Owners Handbook, paying particular attention to the fault finding advice at the back of the book.
2. Contact your supplying dealer for assistance.

If you need to contact the Swift Group, please be aware of the following:

1. When contacting Swift Supercare, please quote your name, postcode and build number of your motorhome.
2. In most instances, the Customer Care Team will involve your dealer in resolving the issue you are experiencing.
3. If you are contacting the company by email, letter or fax, the Customer Care Team will respond to you within five working days from the date of receiving the correspondence.
4. If you are calling the Customer Care Team, please avoid where possible, Mondays and lunch times.
5. Please be aware that the Swift Group cannot send parts direct from the factory. In all cases, without exception, your dealer must place the order for you.

MOTORHOMES - ANNUAL SERVICE/INSPECTION RECORD

In order to comply with the warranty, you must have your motorhome inspected and serviced by an authorised Swift Group Service Centre at least once per year.

It is important that the owner's handbook is stamped on the appropriate page by the authorised Swift Group Service Centre. Failure to do this will invalidate the warranty and the transfer of the warranty on the change of ownership.

The inspection should take approximately two hours and will cover the areas dealt with in the annual service check list. Any areas requiring service and/or maintenance will be highlighted by your dealer and we recommend that you authorise any necessary work to be carried out.

NB. It is essential, to validate the warranty, that an annual inspection be carried out by an authorised Swift Group Service Centre covering the items listed.

Just as the engine/gearbox/roadwheels need regular servicing by your chassis dealer, so there are components in your conversion that need regular maintenance by your motorhome dealer.

These include the gas and electrical systems and the seals in the bodywork. Your dealer will complete the record in this handbook to show that the work has been carried out.

1. Damp and lamination test.
2. Chassis and chassis to body security.
3. Corner steadies.
4. Motorhome step.
5. Road lights, wiring and reflectors.
6. Internal lights and 12V DC system.
7. Water heater - gas and 230V AC.
8. Hob, grill and oven.
9. Refrigerator 230V AC, 12V DC and gas.
10. Gas system.
11. Water pump, taps and water system.
12. Mains 230V AC system.
13. Windows and fittings.
14. Roof lights.
15. Furniture hinges/stays etc.
16. Exterior locks and hinges.
17. All internal vents.
18. Seals.
19. Blinds and fly screens.
20. Blown air heating and gas fire systems.

Service/Inspection

ANNUAL SERVICE/INSPECTION RECORD

MOTORHOME MODEL _____ REGISTRATION NUMBER _____

CHASSIS NUMBER _____ REGISTRATION DATE _____

1st SERVICE

DATE:

DEALER'S STAMP

We certify that an annual service has been carried out in accordance with the handbook.

2nd SERVICE

DATE:

DEALER'S STAMP

We certify that an annual service has been carried out in accordance with the handbook.

3rd SERVICE

DATE:

DEALER'S STAMP

We certify that an annual service has been carried out in accordance with the handbook.

4th SERVICE

DATE:

DEALER'S STAMP

We certify that an annual service has been carried out in accordance with the handbook.

5th SERVICE

DATE:

DEALER'S STAMP

We certify that an annual service has been carried out in accordance with the handbook.

6th SERVICE

DATE:

DEALER'S STAMP

We certify that an annual service has been carried out in accordance with the handbook.

7th SERVICE

DATE:

DEALER'S STAMP

We certify that an annual service has been carried out in accordance with the handbook.

8th SERVICE

DATE:

DEALER'S STAMP

We certify that an annual service has been carried out in accordance with the handbook.

9th SERVICE

DATE:

DEALER'S STAMP

We certify that an annual service has been carried out in accordance with the handbook.

10th SERVICE

DATE:

DEALER'S STAMP

We certify that an annual service has been carried out in accordance with the handbook.

Standard Specifications

MODEL	Sundance 530LP 2.0 JTD Ducato 11 SWB	Sundance 590RL 2.0 JTD Ducato 15 MWB	Sundance 590PR 2.0 JTD Ducato 15 MWB	Sundance 590RS 2.0 JTD Ducato 15 MWB	Sundance 600S 2.0 JTD Ducato 15 MWB	Sundance 600FB 2.3 JTD Ducato 15 LWB	Sundance 630G 2.8 JTD Ducato 18 LWB	Sundance 630L 2.8 JTD Ducato 18 XLWB
Roof Profile	Low Line	High Line	High Line	High Line	High Line	Low Line	High Line	High Line
Designated Passenger Seats	1	1	1	3	1	1	3	4
Berths (Sleeping Positions)	2	4	4	5	4	2	6	6
Overall Length	5.59m/18'4"	6.16m/20'3"	6.16m/20'3"	6.16m/20'3"	6.16m/20'3"	6.16m/20'3"	6.99m/22'11"	7.50m/24'7"
Overall Width (mirrors folded)	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"
Overall Height (no TV aerial)**	2.94m/9'8"	3.00m/9'10"	3.00m/9'10"	3.00m/9'10"	3.00m/9'10"	2.94m/9'8"	3.00m/9'10"	3.00m/9'10"
Maximum Technical Permissible Laden Mass (A)	3000kg	3400kg	3400kg	3400kg	3400kg	3400kg	3850kg	3850kg
Mass in Running Order (B)	2685kg	2870kg	2872kg	2933kg	2927kg	2893kg	3232kg	3353kg
Maximum User Payload (A-B)	315kg	530kg	528kg	467kg	473kg	507kg	618kg	497kg
Essential Habitation Equipment	14kg	14kg	14kg	14kg	14kg	14kg	14kg	14kg
Thermal Insulation Grade	TWO	TWO	TWO	TWO	TWO	TWO	TWO	TWO
BED SIZES								
Front Double	2.09m x 1.33m 6'10" x 4'4"			1.87m x 1.20m 6'2" x 4'0"	1.87m x 1.20m 6'2" x 4'0"		1.87m x 1.20m 6'2" x 4'0"	1.87m x 1.20m 6'2" x 4'0"
Front Nearside Single				1.87m x 0.66m 6'2" x 2'2"				
Front Offside Single				1.87m x 0.87m 6'2" x 2'10"	1.87m x 0.73m 6'2" x 2'5"		1.87m x 0.87m 6'2" x 2'10"	1.87m x 0.87m 6'2" x 2'10"
Rear Double		2.09m x 1.39m 6'10" x 4'7"	2.09m x 1.87m 6'10" x 6'2"			1.87m x 1.30m 6'1" x 4'3"	1.93m x 1.35m 6'4" x 4'5"	2.09m x 1.87m 6'10" x 6'2"
Rear Nearside Single			1.87m x 0.73m 6'2" x 2'5"					1.87m x 0.73m 6'2" x 2'5"
Rear Offside Single			1.87m x 0.73m 6'2" x 2'5"					1.87m x 0.73m 6'2" x 2'5"
Overcab Bed		2.09m x 1.35m 6'10" x 4'5"	2.09m x 1.35m 6'10" x 4'5"	2.09m x 1.35m 6'10" x 4'5"	2.09m x 1.35m 6'10" x 4'5"		2.09m x 1.35m 6'10" x 4'5"	2.09m x 1.35m 6'10" x 4'5"

** Does not allow for optional television aerial (High Line add 100mm, Low Line add 160mm)

- NOTE:**
- The **Maximum User Payload** includes:
 - the **conventional load** (this is the allowance for passengers)
 - essential habitation equipment** (items and fluids required for safe and proper functioning of habitation equipment)
 - optional equipment** (items available from the manufacturer over and above the standard specification)
 - personal effects** (those items not covered by the above)
 - The **Mass in Running Order** is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank, water tank and gas capacity.
 - PLEASE TAKE CARE TO ENSURE THAT YOU HAVE ALLOWED FOR THE MASSES OF ALL ITEMS YOU INTEND TO CARRY IN THE MOTOR CARAVAN, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
 - WARNING** - UNDER NO CIRCUMSTANCES SHOULD THE MAXIMUM TECHNICAL PERMISSIBLE LADEN MASS OF THIS MOTOR CARAVAN BE EXCEEDED.

Optional Specifications

MODEL	Sundance 530LP 2.3 JTD Ducato 15 SWB	Sundance 590RL 2.3 JTD Ducato 15 MWB	Sundance 590RL 2.8 JTD Ducato 18 MWB	Sundance 590PR 2.3 JTD Ducato 15 MWB	Sundance 590PR 2.8 JTD Ducato 18 MWB	Sundance 590RS 2.3 JTD Ducato 15 MWB	Sundance 590RS 2.8 JTD Ducato 18 MWB	Sundance 600S 2.3 JTD Ducato 15 MWB	Sundance 600S 2.8 JTD Ducato 18 MWB
Roof Profile	Low Line	High Line	High Line	High Line	High Line	High Line	High Line	High Line	High Line
Designated Passenger Seats	1	1	1	1	1	3	3	1	1
Berths (Sleeping Positions)	2	4	4	4	4	5	5	4	4
Overall Length	5.59m/18'4"	6.16m/20'3"	6.16m/20'3"	6.16m/20'3"	6.16m/20'3"	6.16m/20'3"	6.16m/20'3"	6.16m/20'3"	6.16m/20'3"
Overall Width (mirrors folded)	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"
Overall Height (no TV aerial)**	2.94m/9'8"	3.00m/9'10"	3.00m/9'10"	3.00m/9'10"	3.00m/9'10"	3.00m/9'10"	3.00m/9'10"	3.00m/9'10"	3.00m/9'10"
Maximum Technical Permissible Laden Mass (A)	3400kg	3400kg	3850kg	3400kg	3850kg	3400kg	3850kg	3400kg	3850kg
Mass in Running Order (B)	2755kg	2940kg	3015kg	2942kg	3017kg	3003kg	3078kg	2997kg	3072kg
Maximum User Payload (A-B)	645kg	460kg	835kg	458kg	833kg	397kg	772kg	403kg	778kg
Essential Habitation Equipment	14kg	14kg	14kg	14kg	14kg	14kg	14kg	14kg	14kg
Thermal Insulation Grade	TWO	TWO	TWO	TWO	TWO	TWO	TWO	TWO	TWO
BED SIZES									
Front Double	2.09m x 1.33m 6'10" x 4'4"					1.87m x 1.20m 6'2" x 4'0"	1.87m x 1.20m 6'2" x 4'0"	1.87m x 1.20m 6'2" x 4'0"	1.87m x 1.20m 6'2" x 4'0"
Front Nearside Single						1.87m x 0.66m 6'2" x 2'2"	1.87m x 0.66m 6'2" x 2'2"		
Front Offside Single						1.87m x 0.87m 6'2" x 2'10"	1.87m x 0.87m 6'2" x 2'10"	1.87m x 0.73m 6'2" x 2'5"	1.87m x 0.73m 6'2" x 2'5"
Rear Double		2.09m x 1.39m 6'10" x 4'7"	2.09m x 1.39m 6'10" x 4'7"	2.09m x 1.87m 6'10" x 6'2"	2.09m x 1.87m 6'10" x 6'2"				
Rear Nearside Single				1.87m x 0.73m 6'2" x 2'5"	1.87m x 0.73m 6'2" x 2'5"				
Rear Offside Single				1.87m x 0.73m 6'2" x 2'5"	1.87m x 0.73m 6'2" x 2'5"				
Overcab Bed		2.09m x 1.35m 6'10" x 4'5"	2.09m x 1.35m 6'10" x 4'5"	2.09m x 1.35m 6'10" x 4'5"	2.09m x 1.35m 6'10" x 4'5"	2.09m x 1.35m 6'10" x 4'5"	2.09m x 1.35m 6'10" x 4'5"	2.09m x 1.35m 6'10" x 4'5"	2.09m x 1.35m 6'10" x 4'5"

** Does not allow for optional television aerial (High Line add 100mm, Low Line add 160mm)

- NOTE:** 1. The **Maximum User Payload** includes:
- the **conventional load** (this is the allowance for passengers)
 - essential habitation equipment** (items and fluids required for safe and proper functioning of habitation equipment)
 - optional equipment** (items available from the manufacturer over and above the standard specification)
 - personal effects** (those items not covered by the above)

- The **Mass in Running Order** is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank, water tank and gas capacity.
- PLEASE TAKE CARE TO ENSURE THAT YOU HAVE ALLOWED FOR THE MASSES OF ALL ITEMS YOU INTEND TO CARRY IN THE MOTOR CARAVAN,**
e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
- WARNING - UNDER NO CIRCUMSTANCES SHOULD THE MAXIMUM TECHNICAL PERMISSIBLE LADEN MASS OF THIS MOTOR CARAVAN BE EXCEEDED.**

Standard Specifications

MODEL	Kon-Tiki 615 (3850kg)	Kon-Tiki 655 (4000kg)	Kon-Tiki 660 (3850kg)	Kon-Tiki 665 (3850kg)	Kon-Tiki 645 (4000kg)
Roof Profile	High Line	High Line	Low Line	High Line	High Line
Designated Passenger Seats	1	3	1	1	3
Berths (Sleeping Positions)	4	4	4	6	5
Overall Length	6.64m/21'9"	7.48m/24'6"	7.48m/24'6"	7.48m/24'6"	7.48m/24'6"
Overall Width (mirrors folded)	2.34m/7'8"	2.34m/7'8"	2.34m/7'8"	2.34m/7'8"	2.34m/7'8"
Overall Height (no TV aerial)**	2.92m/9'7"	2.92m/9'7"	2.89m/9'6"	2.92m/9'7"	2.92m/9'7"
Maximum Technical Permissible Laden Mass (A)	3850kg	4000kg	3850kg	3850kg	4000kg
Mass in Running Order (B)	3314kg	3569kg	3442kg	3509kg	3577kg
Maximum User Payload (A-B)	536kg	431kg	408kg	341kg	423kg
Essential Habitation Equipment	23kg	23kg	23kg	23kg	23kg
Thermal Insulation Grade	THREE	THREE	THREE	THREE	THREE
BED SIZES					
Front Double		2.14m x 1.82m 7'0" x 6'0"	2.14m x 1.40m 7'0" x 4'7"	2.14m x 1.40m 7'0" x 4'7"	
Front Nearside Single		1.82m x 0.73m 6'0" x 2'5"			
Front Offside Single		1.90m x 0.96m 6'3" x 3'2"			1.90m x 0.96m 6'3" x 3'2"
Rear Double	2.14m x 1.75m 7'0" x 5'9"		1.90m x 1.36m 6'3" x 4'5"	1.90m x 1.36m 6'3" x 4'5"	2.14m x 1.75m 7'0" x 5'9"
Rear Nearside Single	1.75m x 0.73m 5'9" x 2'5"				1.90m x 0.73m 6'3" x 2'5"
Rear Offside Single	1.90m x 0.73m 6'3" x 2'5"				1.75m x 0.73m 5'9" x 2'5"
Overcab Bed	2.00m x 1.33m 6'6" x 4'4"	2.00m x 1.33m 6'6" x 4'4"		2.00m x 1.33m 6'6" x 4'4"	2.00m x 1.33m 6'6" x 4'4"

** Does not allow for optional television aerial (High Line add 90mm, Low Line add 120mm)

- NOTE:** 1. The **Maximum User Payload** includes:
- the **conventional load** (this is the allowance for passengers)
 - essential habitation equipment** (items and fluids required for safe and proper functioning of habitation equipment)
e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.
 - optional equipment** (items available from the manufacturer over and above the standard specification)
 - personal effects** (those items not covered by the above)
2. The **Mass in Running Order** is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank, water tank and gas capacity.
3. PLEASE TAKE CARE TO ENSURE THAT YOU HAVE ALLOWED FOR THE MASSES OF ALL ITEMS YOU INTEND TO CARRY IN THE MOTOR CARAVAN,
4. **WARNING** - UNDER NO CIRCUMSTANCES SHOULD THE MAXIMUM TECHNICAL PERMISSIBLE LADEN MASS OF THIS MOTOR CARAVAN BE EXCEEDED.

Optional Specifications

MODEL	Kon-Tiki 615 (4000kg)	Kon-Tiki 660 (4000kg)	Kon-Tiki 665 (4000kg)
Roof Profile	High Line	Low Line	High Line
Designated Passenger Seats	1	1	1
Berths (Sleeping Positions)	4	4	6
Overall Length	6.64m/21'9"	7.48m/24'6"	7.48m/24'6"
Overall Width (mirrors folded)	2.34m/7'8"	2.34m/7'8"	2.34m/7'8"
Overall Height (no TV aerial)**	2.92m/9'7"	2.89m/9'6"	2.92m/9'7"
Maximum Technical Permissible Laden Mass (A)	4000kg	4000kg	4000kg
Mass in Running Order (B)	3314kg	3442kg	3509kg
Maximum User Payload (A-B)	686kg	558kg	491kg
Essential Habitation Equipment	23kg	23kg	23kg
Thermal Insulation Grade	THREE	THREE	THREE
BED SIZES			
Front Double		2.14m x 1.40m 7'0" x 4'7"	2.14m x 1.40m 7'0" x 4'7"
Front Nearside Single			
Front Offside Single			
Rear Double	2.14m x 1.75m 7'0" x 5'9"	1.90m x 1.36m 6'3" x 4'5"	1.90m x 1.36m 6'3" x 4'5"
Rear Nearside Single	1.75m x 0.73m 5'9" x 2'5"		
Rear Offside Single	1.90m x 0.73m 6'3" x 2'5"		
Overcab Bed	2.00m x 1.33m 6'6" x 4'4"		2.00m x 1.33m 6'6" x 4'4"

Capacities

Water Tank Capacities

	Fresh Water Tank	Waste Water Tank	Water Heater	Toilet Tank (Flushing)
Sundance - 590RL, 590RS, 590PR, 600S and 630G	100 litre	80 litre	10 litre	0 litre
Sundance - 630L	70 litre	80 litre	10 litre	0 litre
Sundance - 530LP	82 litre	80 litre	10 litre	0 litre
Sundance - 600FB	82 litre	68 litre	10 litre	0 litre
Kon-Tiki - 655, 660 and 665	125 litre	100 litre	12 litre	7 litre
Kon-Tiki - 615 and 645	110 litre	100 litre	12 litre	7 litre

Gas Capacities

	Capacity
Sundance - All models	2 x 7kg
Kon-Tiki - 645, 655, 660 and 665	2 x 7kg or 1 x 13kg
Kon-Tiki - 615	2 x 7kg

The above are recommended gas bottle sizes

NOTICE

For technical data on the base vehicle please refer to manufacturer's handbook

Towing Capabilities

Sundance Towing Capabilities

Model	Engine / Chassis	MTPLM	Permissible Front Axle Load	Permissible Rear Axle Load	Recommended Maximum Trailer Weight	Gross Train Weight
Sundance 590RS	2.0L JTD Ducato 15 MWB	3400kg	1750kg	1900kg	1600kg	5000kg
Sundance 590RS	2.3L JTD Ducato 15 MWB	3400kg	1750kg	1900kg	1600kg	5400kg
Sundance 590RS	2.8L JTD Ducato 18 MWB	3850kg	1850kg	2120kg	1600kg	5500kg
Sundance 590RL	2.0L JTD Ducato 15 MWB	3400kg	1750kg	1900kg	1600kg	5000kg
Sundance 590RL	2.3L JTD Ducato 15 MWB	3400kg	1750kg	1900kg	1600kg	5400kg
Sundance 590RL	2.8L JTD Ducato 18 MWB	3850kg	1850kg	2120kg	1600kg	5500kg
Sundance 590PR	2.0L JTD Ducato 15 MWB	3400kg	1750kg	1900kg	1600kg	5000kg
Sundance 590PR	2.3L JTD Ducato 15 MWB	3400kg	1750kg	1900kg	1600kg	5400kg
Sundance 590PR	2.8L JTD Ducato 18 MWB	3850kg	1850kg	2120kg	1600kg	5500kg
Sundance 600S	2.0L JTD Ducato 15 MWB	3400kg	1750kg	1900kg	1600kg	5000kg
Sundance 600S	2.3L JTD Ducato 15 MWB	3400kg	1750kg	1900kg	1600kg	5400kg
Sundance 600S	2.8L JTD Ducato 18 MWB	3850kg	1850kg	2120kg	1600kg	5500kg
Sundance 630G	2.8L JTD Ducato 18 LWB	3850kg	1850kg	2120kg	Not Recommended	5500kg
Sundance 630L	2.8L JTD Ducato 18 XLWB	3850kg	1850kg	2120kg	Not Recommended	5500kg
Sundance 530LP	2.0L JTD Ducato 11 SWB	3000kg	1600kg	1650kg	Not Recommended	4600kg
Sundance 530LP	2.3L JTD Ducato 15 SWB	3400kg	1750kg	1900kg	1600kg	5400kg
Sundance 600FB	2.3L JTD Ducato 15 LWB	3400kg	1750kg	1900kg	1600kg	5400kg

To ensure adequate road holding, the load on the front axle, under all conditions, must not be less than 42% of the total weight.

Care must be taken when distributing loads. The loadings above are maximum loadings and must not be exceeded under any circumstances.

CAUTION: When fitting a towbar, it must meet certain minimum requirements as specified by Type Approval Regulations. The bar will have marked on it the approval standard (94/20/EC) and the maximum download, or noseweight, that it can accept. It must fit the manufacturer's approved mounting points and must not obscure the towing vehicle's number plate. The towbar must be fitted to an extension that is capable of transferring the towbar loads to the rear of the Fiat chassis.

Towing Capabilities

Kon-Tiki Towing Capabilities

Model	Engine / Chassis	MTPLM	Permissible Front Axle Load	Permissible Rear Axle Load	Recommended Maximum Trailer Weight	Gross Train Weight
Kon-tiki 615	2.8L JTD Ducato 18 / AL-KO Low Frame 3.85T	3850kg	1850kg	2120kg	1650kg	5500kg
Kon-tiki 615	2.8L JTD Ducato 18 / AL-KO Low Frame 4.0T	4000kg	1850kg	2300kg	1500kg	5500kg
Kon-tiki 645	2.8L JTD Ducato 18 / AL-KO Low Frame 4.0T	4000kg	1850kg	2300kg	1500kg	5500kg
Kon-tiki 655	2.8L JTD Ducato 18 / AL-KO Low Frame 4.0T	4000kg	1850kg	2300kg	1500kg	5500kg
Kon-tiki 660	2.8L JTD Ducato 18 / AL-KO Low Frame 3.85T	3850kg	1850kg	2120kg	1650kg	5500kg
Kon-tiki 660	2.8L JTD Ducato 18 / AL-KO Low Frame 4.0T	4000kg	1850kg	2300kg	1500kg	5500kg
Kon-tiki 665	2.8L JTD Ducato 18 / AL-KO Low Frame 3.85T	3850kg	1850kg	2120kg	1650kg	5500kg
Kon-tiki 665	2.8L JTD Ducato 18 / AL-KO Low Frame 4.0T	4000kg	1850kg	2300kg	1500kg	5500kg

To ensure adequate road holding, the load on the front axle, under all conditions, must not be less than 42% of the total weight.

Care must be taken when distributing loads. The loadings above are maximum loadings and must not be exceeded under any circumstances.

CAUTION: When fitting a towbar, it must meet certain minimum requirements as specified by Type Approval Regulations. The bar will have marked on it the approval standard (94/20/EC) and the maximum download, or noseweight, that it can accept. It must fit the manufacturer's approved mounting points and must not obscure the towing vehicle's number plate.

SUNDANCE




KON-TIKI



Jacking Points: ▲

Wiring Diagrams

SUNDANCE RANGE



Bulb Replacement

	Type	Power	Sundance	Kon-Tiki
EXTERIOR LIGHTS				
Front Road lights				
Full beam headlight	H4	12V-55/60W	✓	✓
Dipped beam headlight	H4	12V-55/60W	✓	✓
Front side lights	R5W	12V-5W	✓	✓
Front directional indicators	P21W	12V-21W	✓	✓
Side directional indicators	W5W	12V-5W	✓	✓
Rear Road Lights				
Rear directional indicators	PY21W	12V-21W	✓	✓
Brake lights	P21W	12V-21W	✓	✓
Reverse light	P21W	12V-21W	✓	✓
Rear foglight	P21W	12V-21W	✓	✓
Running Light	R5W	12V-5W	✓	✓
High level brake light	Capless	12V-2.3W	✓	✓
Other exterior Lights				
Front marker light	W5W	12V-5W	✓	✓
Rear marker light	W5W	12V-5W	✓	✓
Amber side marker light	W5W	12V-5W	✓	✓
Number plate light	CW5	12V-5W	✓	✓
Awning light	P21W	12V-21W	✓	✓
INTERIOR LIGHTS				
Ceiling lights Switched	Halogen G4 Bi-Pin	12V-20W		✓
Downlight (Unswitched)	Halogen G4 Bi-Pin	12V-10W	✓	✓
Downlight (Switched)	Halogen G4 Bi-Pin	12V-10W	✓	✓
Reading lights	Halogen G4 Bi-Pin	12V-10W	✓	✓
Extractor hood lights	Enclosed Dichroic	12V-10W		✓
Luton fluorescent light	300mm Fluorescent	12V-8W		✓
Cab interior ceiling light	CW5	12V-10W	✓	✓
Luton base aux. reading light	245S	12V-5W		✓
Luton base aux. reading light eyeball	245S	12V-10W		✓

Note: Not all lights and bulbs feature on all models within a range

Owners Club

SWIFT MOTORHOME OWNERS CLUB

Congratulations on your choice of motorhome. Now that you are the proud owner of a Swift Motorhome, perhaps you would like to consider spending the occasional weekend or holiday in the company of other proud Swift Motorhome owners. For details of the Motorhome Owners Club contact:

Customer Services Dept.
Swift Group Limited,
Dunswell Road,
Cottingham,
Hull,
East Yorkshire HU16 4JX

or see our web site:
www.swiftleisure.co.uk

NOTIFICATION OF CHANGE OF OWNERSHIP

If you sell your motorhome, please notify the change of ownership by completing this page, detaching it and sending it to:
Swift Group Ltd., Dunswell Road, Cottingham, East Yorkshire, HU16 4JX.

DETAILS OF MOTORHOME:	Model:	_____
	Chassis No:	_____
	Registration No:	_____
	Serial No:	_____
CURRENT OWNER:	Name:	_____
	Address:	_____

NEW OWNER:	Name:	_____
	Address:	_____

Please note that the benefit of any unexpired warranty cannot be transferred to the new owner until the change of ownership details above have been received.

NCC Approved

All Swift Group models have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set Codes of Practice specifically relating to health and safety issues. The approval process covers the testing and inspection of critical areas of the product from fire safety, weights and dimensions, to gas, electrics and ventilation. Every Swift motorhome carries the "NCC Approved Motor Caravan" badge. The NCC also conduct unannounced inspections at the Swift factory to ensure continued compliance. NCC Approval gives you peace of mind that your caravan is legal and safe.

All Swift motorhomes are European Whole Vehicle Type Approved.

We believe that the Swift Group is currently the only UK manufacturer to have this approval. This is your assurance that these motorhomes meet all European regulations, and have been constructed and conform to approved standards of safety and manufacturing.





Swift Motorhomes

Dunswell Road, Cottingham, East Yorkshire HU16 4JX.

Tel: 01482 875740 Fax: 01482 840082

email: enquiry@swiftleisure.co.uk

web site: www.swiftmotorhomes.co.uk

A MEMBER OF THE SWIFT GROUP

Issued September 2005

Quality with Style