



TECHNICAL SPECIFICATION

2023



MOTORHOMES

LOVE LIFE
LOVE SWIFT



	122		132		144	
	Standard	Optional	Standard	Optional	Standard	Optional
Fiat MultiJet diesel engine	140 MJT	140 MJT Auto	140 MJT	140 MJT Auto	140 MJT	140 MJT Auto
Engine capacity	2.2ltr		2.2ltr		2.2ltr	
Engine power	140 bhp @ 3500rpm	140 bhp @ 3500rpm	140 bhp @ 3500rpm	140 bhp @ 3500rpm	140 bhp @ 3500rpm	140 bhp @ 3500rpm
Engine torque	350Nm @ 1400rpm	380Nm @ 1400rpm	350Nm @ 1400rpm	380Nm @ 1400rpm	350Nm @ 1400rpm	380Nm @ 1400rpm
Chassis	Panel Van		Panel Van		Panel Van	
Wheel base	4.04m / 13' 3"		4.04m / 13' 3"		4.04m / 13' 3"	
Seat belts (inc. driver)	2		2		4	
Berths (sleeping positions)	2		2		3	
Overall length	6.00m / 19' 8"		6.36m / 20' 11"		6.00m / 19' 8"	
Overall body width (mirrors folded)	2.26m / 7' 5"		2.26m / 7' 5"		2.26m / 7' 5"	
Overall height	2.72m / 8' 11"		2.72m / 8' 11"		2.72m / 8' 11"	
Standard awning	Thule 6300 3.5m		Thule 6300 3.5m		Thule 6300 3.5m	
Maximum technical permissible laden mass (A)	3500kg		3500kg		3500kg	
Mass in running order (B)	2929kg Est	2962kg Est	2981kg Est	3014kg Est	2963kg Est	2996kg Est
Maximum user payload (A-B)	571kg Est	538kg Est	519kg Est	504kg Est	537kg Est	504kg Est
Thermal insulation grade	THREE		THREE		THREE	
BED SIZES						
Front double					170cm x 90cm / 54cm / 5'7" x 2'11" / 1'9"	
Front offside single					186cm x 132cm / 6'1" x 4'4"	
Rear double	186cm x 183cm / 6'1" x 6'0"		186cm x 183cm / 6'1" x 6'0"			
Rear single offside	184cm x 64cm / 6'0" x 2'1"		184cm x 64cm / 6'0" x 2'1"			
Rear single nearside	183cm x 64cm / 6'0" x 2'1"		183cm x 64cm / 6'0" x 2'1"			

FACTORY FIT

The following optional extras are fitted at the time of manufacture of the motorhome (subject to availability).

Upgrade to 140 bhp, 2.2 litre engine with 9 speed full automatic transmission

	184		194	
	Standard	Optional	Standard	Optional
	140 MJT	140 MJT Auto	140 MJT	140 MJT Auto
Engine capacity	2.2ltr		2.2ltr	
Engine power	140 bhp @ 3500rpm	140 bhp @ 3500rpm	140 bhp @ 3500rpm	140 bhp @ 3500rpm
Engine torque	350Nm @ 1400rpm	380Nm @ 1400rpm	350Nm @ 1400rpm	380Nm @ 1400rpm
Chassis	Panel Van		Panel Van	
Wheel base	4.04m / 13' 3"		4.04m / 13' 3"	
Seat belts (inc. driver)	4		4	
Berths (sleeping positions)	4		3	
Overall length	6.36m / 20' 11"		6.36m / 20' 11"	
Overall body width (mirrors folded)	2.26m / 7' 5"		2.26m / 7' 5"	
Overall height	2.72m / 8' 11"		2.72m / 8' 11"	
Standard awning	Thule 6300 3.5m		Thule 6300 3.5m	
Maximum technical permissible laden mass (A)	3500kg		3500kg	
Mass in running order (B)	3069kg Est	3102kg Est	3034kg Est	3067kg Est
Maximum user payload (A-B)	431kg Est	398kg Est	466kg Est	433kg Est
Thermal insulation grade	THREE		THREE	
BED SIZES				
Front double	175cm x 120cm / 5'9" x 3'11"			
Front offside single				
Rear double	186cm x 123cm / 6'1" x 4'0"			
Rear single offside				
Rear single nearside				
Please contact Swift for details.				



	344		372	
	4 people		2 people	
	Standard	Optional	Standard	Optional
Fiat MultiJet diesel engine	140 MJT	140 MJT Auto	140 MJT	140 MJT Auto
Engine capacity	2.2ltr		2.2ltr	
Engine power	140 bhp @3500rpm	140 bhp @ 3500rpm	140 bhp @3500rpm	140 bhp @ 3500rpm
Engine torque	350Nm @ 1400rpm	380Nm @ 1400rpm	350Nm @ 1400rpm	380Nm @ 1400rpm
Wheel base	3.80m / 12' 6"		3.80m / 12' 6"	
Seat belts (inc. driver)	4		4	
Berths (sleeping positions)	4		2	
Overall length	5.99m / 19' 8"		6.65m / 21' 10"	
Overall body width (mirrors folded)	2.26m / 7' 5"		2.26m / 7' 5"	
Overall height	2.78m / 9' 1"		2.78m / 9' 1"	
Optional awning	Thule T4200 3.0m		Thule T4200 3.0m	
Maximum technical permissible laden mass (A)	3500kg		3500kg	
Mass in running order (B)	2775kg Est	2808kg Est	2797kg Est	2830kg Est
Maximum user payload (A-B)	725kg Est	692kg Est	703kg Est	670kg Est
Thermal insulation grade	THREE		THREE	
Maximum trailer weight	2000kg		2000Kg	
Gross train weight	5300kg		5300Kg	
BED SIZES				
Rear double	193cm x 120cm / 6'4" x 3'11"		192cm x 183cm / 6'4" x 6'0"	
Rear nearside single			196cm x 68cm / 6'5" x 2'3"	
Rear offside single			183cm x 68cm / 6'0" x 2'3"	
Drop down bed	183cm x 118cm / 6'1" x 3'10"			

FACTORY FIT

The following optional extras are fitted at the time of manufacture of the motorhome (subject to availability).

Upgrade to 140 bhp, 2.2 litre engine with 9 speed full automatic transmission

Detachable towbar

Thule roll-out awning

'Swiftshield' stain-resistant upholstery fabric

DEALER FIT

(Excludes Dealer Installation Charge)

Thule Elite G2 two cycle rack*

*Dependent on model, visibility through rear camera may be reduced when bicycles are carried on the optional bike carrier



	475		485	
	Standard	Optional	Standard	Optional
Ford EcoBlue Diesel Engine	155 bhp	155 bhp Auto	155 bhp	155 bhp Auto
Engine capacity	2.0ltr		2.0ltr	
Engine power	155 bhp @ 3500rpm		155 bhp @ 3500rpm	
Engine torque	390Nm @ 2500rpm		390Nm @ 2500rpm	
Wheel base	4.52m / 14' 10"		4.52m / 14' 10"	
Seat belts (inc. driver)	5		5	
Berths (sleeping positions)	5		5	
Overall length	7.54m / 24' 9"		7.54m / 24' 9"	
Overall body width (mirrors folded)	2.37m / 7' 9"		2.37m / 7' 9"	
Overall height	2.98m / 9' 9" Est		2.98m / 9' 9" Est	
Optional awning	Thule T4200 4.0m		Thule T4200 4.0m	
Maximum technical permissible laden mass (A)	3500kg	3550kg	3500kg	3550kg
Mass in running order (B)	3070kg Est	3100kg Est	3070kg Est	3100kg Est
Maximum user payload (A-B)	430kg Est	450kg Est	430kg Est	450kg Est
Thermal insulation grade	THREE		THREE	
Maximum trailer weight	N/A		N/A	
Gross train weight	3500kg		3500kg	
BED SIZES				
Luton Bed	190cm x 133cm / 6'3" x 4'4"		190cm x 133cm / 6'3" x 4'4"	
Front offside single	193cm x 100cm / 6'4" x 3'3"		193cm x 100cm / 6'4" x 3'3"	
Rear nearside single			191cm x 78cm / 6'3" x 2'7"	
Rear offside single			191cm x 78cm / 6'3" x 2'7"	
Rear double	200cm x 147cm / 6'7" x 4'10"		206cm x 115cm / 6'9" x 3'9"	

	494	
	Standard	Optional
Ford EcoBlue Diesel Engine	155 bhp	155 bhp Auto
Engine capacity	2.0ltr	
Engine power	155 bhp @ 3500rpm	
Engine torque	390Nm @ 2500rpm	
Wheel base	4.52m / 14' 10"	
Seat belts (inc. driver)	5	
Berths (sleeping positions)	5	
Overall length	7.54m / 24' 9"	
Overall body width (mirrors folded)	2.37m / 7' 9"	
Overall height	2.98m / 9' 9" Est	
Optional awning	Thule T4200 4.5m	
Maximum technical permissible laden mass (A)	3088kg Est	3118kg Est
Mass in running order (B)	412kg Est	382kg Est
Thermal insulation grade	THREE	
Maximum trailer weight	N/A	
Gross train weight	3500kg	
BED SIZES		
Luton Bed	190cm x 133cm / 6'3" x 4'4"	
Front offside single	193cm x 100cm / 6'4" x 3'3"	
Rear nearside single	191cm x 78cm / 6'3" x 2'7"	
Rear offside single	191cm x 78cm / 6'3" x 2'7"	
Rear double	183cm x 143cm / 6'0" x 4'8"	

FACTORY FIT
The following optional extras are fitted at the time of manufacture of the motorhome (subject to availability).

Upgrade to 155 bhp, 2.0 litre engine with 6-speed full automatic transmission (increases overall weight to 3550kg on 475 & 485)

DEALER FIT
(Excludes Dealer Installation Charge)

Automatic option available at 3500kg with 4 travelling seats (475 & 485)

Microwave Oven

Thule Elite G2 two cycle rack



	540		564	
	Standard	Optional	Standard	Optional
Ford EcoBlue Diesel Engine	155 bhp	155 bhp Auto	155 bhp	155 bhp Auto
Engine capacity	2.0ltr		2.0ltr	
Engine power	155 bhp @ 3500rpm		155 bhp @ 3500rpm	
Engine torque	390Nm @ 2500rpm		390Nm @ 2500rpm	
Wheel base	3.95m / 13' 0"		3.95m / 13' 0"	
Seat belts (inc. driver)	4		4	
Berths (sleeping positions)	4		4	
Overall length	7.01m / 23' 0"		7.22m / 23' 8" Est	
Overall body width (mirrors folded)	2.37m / 7' 9"		2.37m / 7' 9" Est	
Overall height	2.86m / 9' 5" Est		2.86m / 9' 5" Est	
Optional awning	Thule T4200 4.0m		Thule T4200 4.0m	
Maximum technical permissible laden mass (A)	3500kg		3500kg	
Mass in running order (B)	3005kg Est	3058kg Est	3055kg Est	3108kg Est
Maximum user payload (A-B)	495kg Est	442kg Est	445kg Est	392kg Est
Thermal insulation grade	THREE		THREE	
Maximum trailer weight	N/A		N/A	
Gross train weight	3500kg		3500kg	
BED SIZES				
Front double	194cm x 165cm / 114cm / 6'4" x 5'10" / 3'9"		194cm x 132cm / 105cm / 6'4" x 4'4" / 3'5"	
Rear double			188cm x 129cm / 6'2" x 4'3"	
Rear nearside single				
Rear offside single				
Drop down bed	189cm x 150cm / 6'2" x 4'11"			

	584		594	
	Standard	Optional	Standard	Optional
Ford EcoBlue Diesel Engine	155 bhp	155 bhp Auto	155 bhp	155 bhp Auto
Engine capacity	2.0ltr		2.0ltr	
Engine power	155 bhp @ 3500rpm		155 bhp @ 3500rpm	
Engine torque	390Nm @ 2500rpm		390Nm @ 2500rpm	
Wheel base	4.52m / 14' 10"		4.52m / 14' 10"	
Seat belts (inc. driver)	4		4	
Berths (sleeping positions)	4		4	
Overall length	7.85m / 25' 9"		7.85m / 25' 9"	
Overall body width (mirrors folded)	2.37m / 7' 9"		2.37m / 7' 9"	
Overall height	2.87m / 9' 5"		2.87m / 9' 5" Est	
Optional awning	Thule T4200 4.5m		Thule T4200 4.5m	
Maximum technical permissible laden mass (A)	3500kg		3500kg	
Mass in running order (B)	3076kg Est	3129kg Est	3095kg Est	3148kg Est
Maximum user payload (A-B)	424kg Est	371kg Est	405kg Est	352kg Est
Thermal insulation grade	THREE		THREE	
Maximum trailer weight	N/A		N/A	
Gross train weight	3500kg		3500kg	
BED SIZES				
Front double	194cm x 132cm / 105cm / 6'4" x 4'4" / 3'5"		194cm x 132cm / 105cm / 6'4" x 4'4" / 3'5"	
Rear double	206cm x 115cm / 6'9" x 3'9"		183cm x 143cm / 6'0" x 4'8"	
Rear nearside single	195cm x 78cm / 6'5" x 2'7"			
Rear offside single	195cm x 78cm / 6'5" x 2'7"			

FACTORY FIT
The following optional extras are fitted at the time of manufacture of the motorhome (subject to availability).

Upgrade to 155 bhp, 2.0 litre engine with 6-speed full automatic transmission

DEALER FIT
(Excludes Dealer Installation Charge)

- Microwave Oven
- Thule Elite G2 two cycle rack




	464				466				476			
	Icon: 4 people		Icon: 2 people		Icon: 4 people		Icon: 2 people		Icon: 4 people		Icon: 2 people	
	Standard		Optional		Standard		Optional		Standard		Optional	
Fiat MultiJet diesel engine	120 MJT	140 MJT	140 MJT Auto		120 MJT	140 MJT	140 MJT Auto		120 MJT	140 MJT	140 MJT Auto	
Engine capacity	2.2ltr				2.2ltr				2.2ltr			
Engine power	120 bhp @ 3500rpm	140 bhp @ 3500rpm	140 bhp @ 3500rpm		120 bhp @ 3500rpm	140 bhp @ 3500rpm	140 bhp @ 3500rpm		120 bhp @ 3500rpm	140 bhp @ 3500rpm	140 bhp @ 3500rpm	
Engine torque	320 Nm @ 1400rpm	350 Nm @ 1400rpm	380 Nm @ 1400rpm		320 Nm @ 1400rpm	350 Nm @ 1400rpm	380 Nm @ 1400rpm		320 Nm @ 1400rpm	350 Nm @ 1400rpm	380 Nm @ 1400rpm	
Roof profile	Low Line				High Line				High Line			
Wheel base	3.80m / 12'6"				4.04m / 13'3"				4.04m / 13'3"			
Seat belts (inc. driver)	4				6				6			
Berths (sleeping positions)	4				6				6			
Overall length	6.75m / 22'2"				7.32m / 24'0"				7.32m / 24'0"			
Overall body width (mirrors folded)	2.39m / 7'10"				2.39m / 7'10"				2.39m / 7'10"			
Overall height	2.91m / 9'6"				2.98m / 9'9"				2.98m / 9'9"			
Optional awning	Thule T4200 3.5m				Thule T4200 3.5m				Thule T4200 3.5m			
Maximum technical permissible laden mass (A)	3500kg	3650kg	3500kg	3650kg	3650kg		3500kg	3650kg	3650kg		3500kg	3650kg
Mass in running order (B)	2850kg	2850kg	2883kg	2883kg	3016kg		3049kg	2991kg	3024kg		2975kg	3008kg
Maximum user payload (A-B)	650kg	800kg	617kg	767kg	634kg		601kg	509kg	659kg		626kg	642kg
Thermal insulation grade	THREE				THREE				THREE			
Maximum trailer weight	2000kg				2000kg				N/A	2000kg		2000kg
Gross train weight	5500kg	5650kg	5500kg	5650kg	5650kg		3500kg	5650kg		5500kg	5650kg	
BED SIZES												
Front double	215cm x 123cm / 92cm / 71" x 4'0" / 3'0"				215cm x 180cm x 121cm / 71" x 5'11" x 4'0"				215cm x 180cm / 86cm / 71" x 5'11" / 2'10"		215cm x 180cm / 121cm / 71" x 5'11" / 4'0"	
Rear double	188cm x 133cm / 6'2" x 4'4"								214cm x 143cm / 7'0" x 4'8"		185cm x 133cm / 6'1" x 4'4"	
Rear nearside single									191cm x 83cm / 6'3" x 2'5"			
Rear offside single									191cm x 83cm / 6'3" x 2'5"			
Rear bunk (upper)					204cm x 85cm / 6'8" x 2'9"							
Rear bunk (lower)					204cm x 85cm / 6'8" x 2'9"							
Overcab bed					190cm x 134cm / 6'3" x 4'5"				190cm x 134cm / 6'3" x 4'5"		190cm x 134cm / 6'3" x 4'5"	

	486				494			
	Icon: 4 people		Icon: 2 people		Icon: 4 people		Icon: 2 people	
	Standard		Optional		Standard		Optional	
Fiat MultiJet diesel engine	120 MJT	140 MJT	140 MJT Auto		120 MJT	140 MJT	140 MJT Auto	
Engine capacity	2.2ltr				2.2ltr			
Engine power	120 bhp @ 3500rpm	140 bhp @ 3500rpm	140 bhp @ 3500rpm		120 bhp @ 3500rpm	140 bhp @ 3500rpm	140 bhp @ 3500rpm	
Engine torque	320 Nm @ 1400rpm	350 Nm @ 1400rpm	380 Nm @ 1400rpm		320 Nm @ 1400rpm	350 Nm @ 1400rpm	380 Nm @ 1400rpm	
Roof profile	High Line				High Line			
Wheel base	4.04m / 13'3"				4.04m / 13'3"			
Seat belts (inc. driver)	6				6			
Berths (sleeping positions)	6				6			
Overall length	7.32m / 24'0"				7.32m / 24'0"			
Overall body width (mirrors folded)	2.39m / 7'10"				2.39m / 7'10"			
Overall height	2.98m / 9'9"				2.98m / 9'9"			
Optional awning	Thule T4200 3.5m				Thule T4200 3.5m			
Maximum technical permissible laden mass (A)	3500kg	3650kg	3650kg		3500kg	3650kg	3500kg	
Mass in running order (B)	2991kg	2991kg	3024kg		2975kg	2975kg	3008kg	
Maximum user payload (A-B)	509kg	659kg	626kg		525kg	675kg	492kg	
Thermal insulation grade	THREE				THREE			
Maximum trailer weight	2000kg				2000kg		2000kg	
Gross train weight	3500kg	5650kg	5500kg		5500kg	5650kg		
BED SIZES								
Front double	215cm x 180cm / 121cm / 71" x 5'11" / 4'0"				215cm x 180cm / 121cm / 71" x 5'11" / 4'0"		190cm x 134cm / 6'3" x 4'5"	
Rear double	214cm x 131cm / 7'0" x 4'4"				214cm x 131cm / 7'0" x 4'4"		190cm x 134cm / 6'3" x 4'5"	
Rear nearside single								
Rear offside single								
Rear bunk (upper)								
Rear bunk (lower)								
Overcab bed								


- FACTORY FIT**
The following optional extras are fitted at the time of manufacture of the motorhome (subject to availability).
- Upgrade to 140 bhp, 2.2 litre engine with 9-speed full automatic transmission*
 - Detachable homologated tow bar and electrics*
 - Thule roll-out awning (464 & 494)
 - 'Swiftshield' stain-resistant upholstery fabric

- DEALER FIT**
(Excludes Dealer Installation Charge)
- Thule roll-out awning (466, 476 & 486)
 - Thule Elite G2 two cycle rack
 - 3650kg Chassis upgrade (excludes 466)

*When fitted to 476 & 486 must take MTPLM upgrade to 3650kg



	640			674		
	Standard	Optional	Optional	Standard	Optional	Optional
Fiat MultiJet diesel engine	140 MJT	140 MJT Auto	180 MJT Auto	140 MJT	140 MJT Auto	180 MJT Auto
Engine capacity	2.2ltr			2.2ltr		
Engine power	140 bhp @ 3500rpm			140 bhp @ 3500rpm		
Engine torque	350 Nm @ 1400rpm	380 Nm @ 1400rpm	450 Nm @ 1500rpm	350 Nm @ 1400rpm	380 Nm @ 1400rpm	450 Nm @ 1500rpm
Wheel base	4.20m / 13' 9"			4.70m / 15'5"		
Seat belts (inc. driver)	4			5		
Berths (sleeping positions)	4			6		
Overall length	6.99m / 22'11"			8.22m / 27'0"		
Overall body width (mirrors folded)	2.37m / 7'9"			2.37m / 7'9"		
Overall height	2.86m / 9'5"			2.86m / 9'5"		
Optional awning	Thule T4200 4.0m			Thule T4200 4.5m		
Maximum technical permissible laden mass (A)	3500kg			4500kg		
Mass in running order (B)	3061kg	3094kg	3094kg	3360kg	3393kg	3393kg
Maximum user payload (A-B)	439kg	406kg	406kg	1140kg	1107kg	1107kg
Thermal insulation grade	THREE			THREE		
Maximum trailer weight	2000kg			2000kg		
Gross train weight	5500kg			5500kg		
BED SIZES						
Front double	194cm x 165cm / 136cm / 6'4" x 5'10" / 4'6"			194cm x 136cm / 6'4" x 4'6"		
Rear double				202cm x 132cm / 6'8" x 4'4"		
Rear transverse single						
Rear nearside single						
Rear offside single						
Drop down bed	189cm x 150cm / 6'2" x 4'11"			189cm x 150cm / 6'2" x 4'11"		




	684				694		
	Standard	Optional	Optional	Optional	Standard	Optional	Optional
Fiat MultiJet diesel engine	140 MJT	140 MJT Auto	180 MJT Auto	180 MJT Auto	140 MJT	140 MJT Auto	180 MJT Auto
Engine capacity	2.2ltr				2.2ltr		
Engine power	140 bhp @ 3500rpm				140 bhp @ 3500rpm		
Engine torque	350 Nm @ 1400rpm	380 Nm @ 1400rpm	450 Nm @ 1500rpm	450 Nm @ 1500rpm	350 Nm @ 1400rpm	380 Nm @ 1400rpm	450 Nm @ 1500rpm
Wheel base	4.70m / 15'5"				4.70m / 15'5"		
Seat belts (inc. driver)	4				4		
Berths (sleeping positions)	4				4		
Overall length	7.84m / 25'9"				7.84m / 25'9"		
Overall body width (mirrors folded)	2.37m / 7'9"				2.37m / 7'9"		
Overall height	2.88m / 9'5" Est				2.88m / 9'5"		
Optional awning	Thule T4200 4.5m				Thule T4200 4.5m		
Maximum technical permissible laden mass (A)	3500kg				3500kg		
Mass in running order (B)	3131kg	3151kg	3151kg	3151kg	3141kg	3174kg	3174kg
Maximum user payload (A-B)	369kg	349kg	349kg	349kg	359kg	526kg	526kg
Thermal insulation grade	THREE				THREE		
Maximum trailer weight	2000kg				2000kg		
Gross train weight	5500kg				5500kg		
BED SIZES							
Front double	194cm x 133cm / 106cm / 6'4" x 4'4" / 3'6"				194cm x 133cm / 106cm / 6'4" x 4'4" / 3'6"		
Rear double	206cm x 115cm / 6'9" x 3'9"				180cm x 143cm / 5'11" x 4'8"		
Rear transverse single	195cm x 78cm / 6'5" x 2'7"						
Rear nearside single	195cm x 78cm / 6'5" x 2'7"						
Rear offside single							
Drop down bed							


- FACTORY FIT**
The following optional extras are fitted at the time of manufacture of the motorhome (subject to availability).
- Upgrade to 140 bhp, 2.2 litre engine with 9-speed full automatic transmission
 - Upgrade to 180 bhp, 2.2 litre engine with 9-speed full automatic Transmission**
 - Detachable homologated tow bar and electrics***
 - Thule Roll Out Awning ***

- DEALER FIT**
(Excludes Dealer Installation Charge)
- 3700kg MTPLM upgrade (except 674)
 - Thule rail mounted rear cycle rack* (except 674)

*Dependent on model, visibility through rear camera may be reduced when bicycles are carried on the optional bike carrier
 ** MTPLM/Chassis increases to 3700kg on 694 auto options
 *** When fitted to 684 and 694 must take MTPLM upgrade to 3700kg



	Standard	Optional	Optional	Standard	Optional	Optional
Fiat MultiJet diesel engine	140 MJT	140 MJT Auto	180 MJT Auto	140 MJT	140 MJT Auto	180 MJT Auto
Engine capacity	2.0ltr			2.0ltr		
Engine power	140 bhp @ 3500rpm		180 bhp @ 3500rpm	140 bhp @ 3500rpm		180 bhp @ 3500rpm
Engine torque	350 Nm @ 1400rpm	380 Nm @ 1400rpm	450 Nm @ 1500rpm	350 Nm @ 1400rpm	380 Nm @ 1400rpm	450 Nm @ 1500rpm
Wheel base	4.70m / 15'5"			4.70m / 15'5"		
Seat belts (inc. driver)	5			4		
Berths (sleeping positions)	6			4		
Overall length	8.22m / 27'0"			7.84m / 25'9"		
Overall body width (mirrors folded)	2.38m / 7'10"			2.38m / 7'10"		
Overall height	2.87m / 9'5"			2.89m / 9'6"		
Standard awning	Thule T4200 4.5m			Thule T4200 4.5m		
Maximum technical permissible laden mass (A)	4500kg			4500kg		
Mass in running order (B)	3617kg	3635kg	3635kg	3440kg	3458kg	3458kg
Maximum user payload (A-B)	883kg	865kg	865kg	1060kg	1042kg	1042kg
Thermal insulation grade	THREE			THREE		
Maximum trailer weight	2000kg#			2000kg#		
Gross train weight	6000kg#			6000kg#		
BED SIZES						
Front double	194cm x 136cm / 6'4" x 4'6"			194cm x 133cm / 106cm / 6'4" x 4'4" / 3'6"		
Rear double	203cm x 132cm / 6'8" x 4'4"			206cm x 115cm / 6'9" x 3'9"		
Rear transverse single				195cm x 78cm / 6'5" x 2'7"		
Rear nearside single				195cm x 78cm / 6'5" x 2'7"		
Rear offside single						
Drop down bed	189cm x 150cm / 6'2" x 4'11"					



	Standard	Optional	Optional	Standard
Fiat MultiJet diesel engine	140 MJT	140 MJT Auto	180 MJT Auto	180 MJT Auto
Engine capacity	2.0ltr			2.0ltr
Engine power	140 bhp @ 3500rpm		180 bhp @ 3500rpm	180 bhp @ 3500rpm
Engine torque	350 Nm @ 1400rpm	380 Nm @ 1400rpm	450 Nm @ 1500rpm	450 Nm @ 1500rpm
Wheel base	4.70m / 15'5"			4.70m / 0.80m / 15'5" / 2'7"
Seat belts (inc. driver)	4			5
Berths (sleeping positions)	4			6
Overall length	7.84m / 25'9"			8.96m / 29'5"
Overall body width (mirrors folded)	2.38m / 7'10"			2.38m / 7'10"
Overall height	2.89m / 9'6"			2.87m / 9'5"
Standard awning	Thule T4200 4.5m			Thule T4200 4.5m
Maximum technical permissible laden mass (A)	4500kg			5000kg
Mass in running order (B)	3477kg	3495kg	3495kg	3960kg
Maximum user payload (A-B)	1023kg	1005kg	1005kg	1040kg
Thermal insulation grade	THREE			THREE
Maximum trailer weight	2000kg#			2000kg#
Gross train weight	6000kg#			6000kg#
BED SIZES				
Front double	194cm x 133cm / 106cm / 6'4" x 4'4" / 3'6"			194cm x 150cm / 136cm / 6'4" x 4'11" / 4'6"
Rear double	180cm x 143cm / 5'11" x 4'8"			203cm x 183cm / 6'8" x 6'0"
Rear transverse single				
Rear nearside single				
Rear offside single				
Drop down bed				189cm x 150cm / 6'2" x 4'11"



	884	894
	Standard	Standard
Fiat MultiJet diesel engine	180 MJT Auto	180 MJT Auto
Engine capacity	2.0ltr	2.0ltr
Engine power	180 bhp @ 3500rpm	180 bhp @ 3500rpm
Engine torque	450 Nm @ 1500rpm	450 Nm @ 1500rpm
Wheel base	4.70m / 0.80m / 15'5" / 2'7"	4.70m / 0.80m / 15'5" / 2'7"
Seat belts (inc. driver)	4	4
Berths (sleeping positions)	4	4
Overall length	8.96m / 29'5"	8.96m / 29'5"
Overall body width (mirrors folded)	2.38m / 7'10"	2.38m / 7'10"
Overall height	2.89m / 9'6"	2.89m / 9'6"
Standard awning	Thule T4200 4.5m	Thule T4200 4.5m
Maximum technical permissible laden mass (A)	5000kg	5000kg
Mass in running order (B)	3903kg	3913kg
Maximum user payload (A-B)	1097kg	1087kg
Thermal insulation grade	THREE	THREE
Maximum trailer weight	2000kg#	2000kg#
Gross train weight	6000kg#	6000kg#
BED SIZES		
Front double	194cm x 186cm / 150cm / 6'4" x 6'1" / 4'11"	194cm x 186cm / 150cm / 6'4" x 6'1" / 4'11"
Rear double	206cm x 115cm / 6'9" x 3'9"	195cm x 143cm / 6'5" x 4'8"
Rear transverse single	195cm x 78cm / 6'5" x 2'7"	
Rear nearside single	195cm x 78cm / 6'5" x 2'7"	
Rear offside single		
Drop down bed		

FACTORY FIT

The following optional extras are fitted at the time of manufacture of the motorhome (subject to availability).

Upgrade to 140 bhp, 2.2 litre engine with 9-speed full automatic transmission (774, 784 & 794 only)

Upgrade to 180 bhp, 2.2 litre engine with 9-speed full automatic transmission (774, 784 & 794 only)

Detachable homologated tow bar and electrics

DEALER FIT

(Excludes Dealer Installation Charge)

Thule rail mounted rear cycle rack* (except 774/874)

Swift Command Tracker by Sargent annual subscription

*Dependent on model, visibility through rear camera may be reduced when bicycles are carried on the optional bike carrier



SPECIFICATION NOTES

1. The Maximum User Payload includes:

- a) the conventional load (this is the allowance for passengers)
- b) essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)
- c) optional equipment (items available from the manufacturer over and above the standard specification)
- d) personal effects (those items not covered by the above)

2. The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank capacity and 1 x 6kg Calor Lite LPG cylinder. The MRO is calculated with the fresh water tank empty. If you travel with water in the fresh water tank then the payload will reduce accordingly.

3. Please take care to ensure that you have allowed for the masses of all items you intend to carry in the motorhome, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.

4. Warning - under no circumstances should the maximum technical permissible laden mass of this motorhome be exceeded.



VIEW & DOWNLOAD YOUR COMPLETE RANGE OF SWIFT BROCHURES HERE:

swiftgroup.co.uk/buy/brochures/



FIND YOUR NEAREST DEALER HERE:

swiftgroup.co.uk/find-a-dealer/

DISCLAIMER

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. All pro bhp are for photographic purposes only and are not included in the specification.

Issued December 2022.

