



Swift Group

Dunswell Road Cottingham East Yorkshire HU16 4JX

Tel 01482 875740 Fax 01482 840082 email enquiry@swiftgroup.co.uk

For more information visit www.swiftgroup.co.uk

Issued July 2012

Van Conversion Tech Handbook





Contents

Specifications	2
Capacities	8
owing Capabilities	9
acking	10
Viring Diagrams	11
Bulb Chart	20
Bulb Replacement	21

Peugeot Specifications

Model	Rhythm	Rhythm	Compact	Alto
Roof Profile	Panel Van	Panel Van		Panel Van
Engine Power	130 HDI	110 HDI	130 HDI	130 HDI
Engine Capacity	2.2L	2.2L	2.2L	2.2L
Chassis	Boxer 335	Boxe	r 330	Boxer 335
Wheel base	4.04m/13'3"	3.45m	/11'4"	4.04m/13'3"
Designated Passenger Seats	1	-	1	3
Berths (sleeping positions)	2		2	3
Overall Length (no ladder)	6.00m/19'8"	5.41m	/17'9"	6.00m/19'8"
Overall Width	2.05m/6'9"	2.05n	n/6'9"	2.05m/6'9"
Overall Width (mirrors folded)	2.26m/7'5"	2.26n	n/7'5"	2.26m/7'5"
Overall Width (mirrors extended)	2.51m/8'3"	2.51n	n/8'3"	2.51m/8'3"
Overall Height	2.72m/8'11"	2.72m	/8'11"	2.72m/8'11"
Maximum Technical Permissible Laden Mass (A)	3500kg	3300kg		3500kg
Mass in Running Order (B)†	2995kg	2830kg	2845kg	3045kg
Maximum User Payload (A-B)	505kg	470kg	455kg	455kg
Unladen Weight	2730kg	2596kg	2611kg	2780kg
Essential Habitation Equipment	9kg	91	kg	9kg
Thermal Insulation Grade	Two	Two		Two
Bed Sizes				
Front Double				
Front Nearside Single				
Front Offside Single				1.70m x 0.90m/0.54m / 5'7" x 2'11"/1'9"
Rear Double	1.86m x 1.88m / 6'1" x 6'2"	1.86m x 1.28i	m / 6'1" x 4'2"	1.87m x 1.19m / 6'2" x 3'11'
Rear Nearside Single	1.88m x 0.65m / 6'2" x 2'2"			
Rear Offside Single	1.88m x 0.65m / 6'2" x 2'2"			
Rear Bunk (Upper)				
Rear Bunk (Lower)				
Overcab Bed				

ZZ	Quartet	Accent
Van	Panel Van	Panel Van
130 HDI	130 HDI	130 HDI
2.2L	2.2L	2.2L
Boxer 330	Boxer 335	Boxer 335
/11'4"	4.04m/13'3"	4.04m/13'3"
}	3	3
)	4	3
/17'9"	6.00m/19'8"	6.00m/19'8"
1/6'9"	2.05m/6'9"	2.05m/6'9"
1/7'5"	2.26m/7'5"	2.26m/7'5"
1/8'3"	2.51m/8'3"	2.51m/8'3"
/8'11"	2.72m/8'11"	2.72m/8'11"
Okg	3500kg	3500kg
2870kgkg	3105kg	3105kg
430kg	395kg	395kg
2636kg	2840kg	2840kg
(g	9kg	9kg
10	Two	Two
/ 6'3" x 3'10"	1.80m x 1.22m / 5'11" x 4'0"	
	1.70m x 0.90m/0.54m / 5'7" x 2'11"/1'9"	1.70m x 0.90m/0.54m / 5'7" x 2'11"/1'9"
		1.83m x 1.35m / 6'0" x 4'5"
	1.74m x 0.56m / 5'9" x 1'10"	
	1.85m x 0.58m / 6'1" x 1'11"	
	1 Van 130 HDI 2.2L Boxer 330 /11'4" 8 2 /17'9" //6'9" //7'5" //8'3" /8'11" Okg 2870kgkg 430kg	Van

2. The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank, LADEN MASS OF THIS MOTOR CARAVAN BE water tank and gas capacity.

3. PLEASE TAKE CARE TO ENSURE THAT YOU HAVE ALLOWED FOR THE MASSES OF ALL ITEMS YOU INTEND TO CARRY IN THE MOTOR CARAVAN, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.

4. WARNING - UNDER NO CIRCUMSTANCES SHOULD THE MAXIMUM TECHNICAL PERMISSIBLE

NOTE: 1. The Maximum User Payload includes: a) the conventional load (this is the allowance for passengers)

b) essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)

c) optional equipment (items available from the manufacturer over and above the standard specification)

d) personal effects (those items not covered by the above)

Peugeot Specifications

Model	Forte	Rhythi	n Sport
Roof Profile	Panel Van	Panel Van	
Engine Power	130 HDI	110 HDI	130 HDI
Engine Capacity	2.2L	2.2L	2.2L
Chassis	Boxer 435	Boxe	r 330
Wheel base	4.04m/13'3"	4.04m	1/13'3"
Designated Passenger Seats	3		1
Berths (sleeping positions)	4		2
Overall Length (no ladder)	6.36m/20'11"	6.00m	1/19'8"
Overall Width	2.05m/6'9"	2.05r	n/6'9"
Overall Width (mirrors folded)	2.26m/7'5"	2.26r	n/7'5"
Overall Width (mirrors extended)	2.51m/8'3"	2.51r	n/8'3"
Overall Height	2.72m/8'11"	2.72m/8'11"	
Maximum Technical Permissible Laden Mass (A)	3500kg	3300kg	
Mass in Running Order (B)†	3120kg*	2795kg	2810kg
Maximum User Payload (A-B)	380kg*	505g	690kg
Unladen Weight	2914kg*	2561kg	2576kg
Essential Habitation Equipment	9kg	9	kg
Thermal Insulation Grade	Two	Tı	NO .
Bed Sizes			
Front Double	1.80m x 1.22m / 5'11" x 4'0"		
Front Nearside Single			
Front Offside Single	1.70m x 0.90m/0.54m / 5'7" x 2'11" / 1'9"		
Rear Double	1.86m x 1.20m / 6'1" x 3'11"	1.86m x 1.88m / 6'1" x 6'2"	
Rear Nearside Single		1.88m x 0.65m / 6'2" x 2'2"	
Rear Offside Single		1.88m x 0.65m / 6'2" x 2'2"	
Rear Bunk (Upper)			
Rear Bunk (Lower)			
Overcab Bed			

^{*} Estimated

NOTE: 1. The Maximum User Payload includes: a) the conventional load (this is the allowance for passengers)

 essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)

c) **optional equipment** (items available from the manufacturer over and above the standard specification)

d) **personal effects** (those items not covered by the above)

The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank, water tank and gas capacity.

3. PLEASE TAKE CARE TO ENSURE THAT YOU HAVE ALLOWED FOR THE MASSES OF ALL ITEMS YOU INTEND TO CARRY IN THE MOTOR CARAVAN, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.

4. WARNING - UNDER NO CIRCUMSTANCES SHOULD THE MAXIMUM TECHNICAL PERMISSIBLE LADEN MASS OF THIS MOTOR CARAVAN BE

Fiat Auto Specifications

Model	Rhythm	Rhythm Compact	Alto
Roof Profile	Panel Van	Panel Van	Panel Van
Engine Power	130 MJT Auto	130 MJT Auto	130 MJT Auto
Engine Capacity	2.3L	2.3L	2.3L
Chassis	Ducato 35L	Ducato 33Q	Ducato 35L
Wheel base	4.04m/13'3"	3.45m/11'4"	4.04m/13'3"
Designated Passenger Seats	1	1	3
Berths (sleeping positions)	2	2	3
Overall Length (no ladder)	6.00m/19'8"	5.41m/17'9"	6.00m/19'8"
Overall Width	2.05m/6'9"	2.05m/6'9"	2.05m/6'9"
Overall Width (mirrors folded)	2.26m/7'5"	2.26m/7'5"	2.26m/7'5"
Overall Width (mirrors extended)	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"
Overall Height	2.72m/8'11"	2.72m/8'11"	2.72m/8'11"
Maximum Technical Permissible Laden Mass (A)	3500kg	3300kg	3500kg
Mass in Running Order (B)†	3012kg	2862kg	3062kg
Maximum User Payload (A-B)	488kg	438kg	438kg
Unladen Weight	2747kg	2628kg	2797kg
Essential Habitation Equipment	9kg	9kg	9kg
Thermal Insulation Grade	Two	Two	Two
Bed Sizes			
Front Double	1.86m x 1.88m / 6'1" x 6'2"		
Front Nearside Single	1.88m x 0.65m / 6'2" x 2'2"		
Front Offside Single	1.88m x 0.65m / 6'2" x 2'2"		1.70m x 0.90m/0.54m / 5'7" x 2'11"/1'9"
Rear Double		1.86m x 1.28m / 6'1" x 4'2"	1.87m x 1.19m / 6'2" x 3'11"
Rear Nearside Single			
Rear Offside Single			
Rear Bunk (Upper)			
Rear Bunk (Lower)			
Overcab Bed			

^{*} Estimated

NOTE: 1. The Maximum User Payload includes: a) the conventional load (this is the allowance for passengers)

 b) essential habitation equipment (items and fluids required for safe and proper functioning of habitation equipment)

c) **optional equipment** (items available from the manufacturer over and above the standard specification)

d) **personal effects** (those items not covered by the above)

The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank, water tank and gas capacity.

3. PLEASE TAKE CARE TO ENSURE THAT YOU HAVE ALLOWED FOR THE MASSES OF ALL ITEMS YOU INTEND TO CARRY IN THE MOTOR CARAVAN, e.g. passengers, optional equipment, essential habitation equipment and personal effects, such as clothing, food, pets, bicycles, sailboards, sports equipment etc.

4. WARNING - UNDER NO CIRCUMSTANCES SHOULD THE MAXIMUM TECHNICAL PERMISSIBLE LADEN MASS OF THIS MOTOR CARAVAN BE

Jazz	Quartet	Accent	Forte	Rhythm Sport
Panel Van	Panel Van	Panel Van	Panel Van	Panel Van
130 MJT Auto	130 MJT Auto	130 MJT Auto	130 MJT Auto	130 MJT Auto
2.3L	2.3L	2.3L	2.3L	2.3L
Ducato 33Q	Ducato 35L	Ducato 35L	Ducato 35L	Ducato 35L
3.45m/11'4"	4.04m/13'3"	4.04m/13'3"	4.04m/13'3"	4.04m/13'3"
3	3	3	3	1
2	4	3	4	2
5.41m/17'9"	6.00m/19'8"	6.00m/19'8"	6.36m/20'11"	6.00m/19'8"
2.05m/6'9"	2.05m/6'9"	2.05m/6'9"	2.05m/6'9"	2.05m/6'9"
2.26m/7'5"	2.26m/7'5"	2.26m/7'5"	2.26m/7'5"	2.26m/7'5"
2.51m/8'3"	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"
2.72m/8'11"	2.72m/8'11"	2.72m/8'11"	2.72m/8'11"	2.72m/8'11"
3300kg	3500kg	3500kg	3500kg	3300kg
2887kg	3122kg	3122kg	3097kg*	2827kg
413kg	378kg	378kg	403kg*	473kg
2653kg	2857kg	2857kg	2891kg*	2593kg
9kg	9kg	9kg	9kg	9kg
Two	Two	Two	Two	Two
1.90m x 1.18m / 6'3" x 3'10"	1.80m x 1.22m / 5'11" x 4'0"		1.80m x 1.22m / 5'11" x 4'0"	
	1.70m x 0.90m/0.54m / 5'7" x 2'11"/1'9"	1.70m x 0.90m/0.54m / 5'7" x 2'11"/1'9"	1.70m x 0.90m/0.54m / 5'7" x 2'11" / 1'9"	
		1.83m x 1.35m / 6'0" x 4'5"		1.86m x 1.88m / 6'1" x 6'2"
			1.86m x 1.20m / 6'1" x 3'11"	1.88m x 0.65m / 6'2" x 2'2"
				1.88m x 0.65m / 6'2" x 2'2"
	1.74m x 0.56m / 5'9" x 1'10"			
	1.85m x 0.58m / 6'1" x 1'11"			

Capacities

Water Tank Capacities

	Fresh Water Tank	Waste Water Tank	Water Heater
Rhythm Sport, Forte	66 litre	50 litre	10 litre
Jazz, Rhythm Compact	66 litre	40 litre	10 litre
Alto. Accent, Rhythm, Quartet	100 litre	58 litre	10 litre

Gas Capacities

	Capacity
Forte	1 x 4.5kg plus 1 x 7kg
Rhythm Sport, Alto, Accent, Rhythm, Rhythm Compact, Quartet, Jazz	2 x 7kg

The above are recommended gas bottle sizes

NOTICE: For technical data on the base vehicle please refer to manufacturer's handbook

Towing Capabilities

Van Conversion Towing Capabilities

Model	Engine / Chassis	MTPLM	Permissible Front Axle Load	Permissible Rear Axle Load	Recommended Maximum Trailer Weight	Gross Train Weight
Rhythm	130 / LWB / ABS	3500kg	1850kg	2000kg	2500kg	6000kg
Rhythm	130 / LWB / ABS / Auto	3500kg	1850kg	2000kg	2500kg	6000kg
Rhythm Compact	110 / MWB / ABS	3300kg	1750kg	1900kg	2500kg	5800kg
Rhythm Compact	130 / MWB / ABS	3300kg	1750kg	1900kg	2500kg	5800kg
Rhythm Compact	130 / MWB / ABS / Auto	3300kg	1750kg	1900kg	2500kg	5800kg
Alto	130 / LWB / ABS	3500kg	1850kg	2000kg	2500kg	6000kg
Alto	130 / LWB / ABS / Auto	3500kg	1850kg	2000kg	2500kg	6000kg
Jazz	110 / MWB / ABS	3300kg	1750kg	1900kg	2500kg	5800kg
Jazz	130 / MWB / ABS	3300kg	1750kg	1900kg	2500kg	5800kg
Jazz	130 / MWB / ABS / Auto	3300kg	1750kg	1900kg	2500kg	5800kg
Quartet	130 / LWB / ABS	3500kg	1850kg	2000kg	2500kg	6000kg
Quartet	130 / LWB / ABS / Auto	3500kg	1850kg	2000kg	2500kg	6000kg
Accent	130 / LWB / ABS	3500kg	1850kg	2000kg	2500kg	6000kg
Accent	130 / LWB / ABS / Auto	3500kg	1850kg	2000kg	2500kg	6000kg
Forte	130 / LWB / ABS**	3500kg	2100kg	2400kg	3000kg	6500kg
Forte	130 / LWB / ABS / Auto***	3500kg	1850kg	2000kg	2500kg	6000kg
Rhythm Sport	110 / LWB / ABS	3500kg	1750kg	1900kg	2500kg	5800kg
Rhythm Sport	130 / LWB / ABS	3500kg	1850kg	2000kg	2500kg	6000kg
Rhythm Sport	130 / LWB / ABS / Auto	3500kg	1750kg	1900kg	2500kg	5800kg

Please note that the additional weight of the tow bar and trailer nose weight increases the rear axle loading of the motor home so care should be taken that the rear axle load is not exceeded when towing.

To ensure adequate road holding, the load on the front axle, under all conditions, must not be less than 40% or more than 70% of the total weight.

Care must be taken when distributing loads. The loadings and weights above are maximums and must not be exceeded under any circumstances.


CAUTION: When fitting a towbar, it must meet certain minimum requirements as specified by Type Approval Regulations. The bar will have marked on it the approval standard (94/20/ EC) and the maximum download, or noseweight, that it can accept. It must fit the manufacturer's approved mounting points and must not obscure the towing vehicle's number plate.

^{*} With this vehicle configuration it will be necessary to reduce the payload carried inside the van when towing to ensure that the MTPLM and maximum axle loads are not exceeded.


^{**} Peugeot 435 Heavy chassis

^{***} Fiat 35QL Light chassis


Van Conversion




Consumer circuits floor with combi heater




Power circuits




Consumer circuits roof




230v circuits with combi boiler




Rhythm Sport - Consumer Circuits floor



Rhythm Sport - Power Circuits





Rhythm Sport - Consumer Circuits roof



Rhythm Sport - 230V circuits

Cable colour chart





Replacement instructions

Road Lights						
See Fiat or Peugeot manual						
Interior / Other						
Application	Bulb Reference	Bulb Rating				
Locker spotlights, LED	FEM0854 complete lamp	12v LED				
B-pillar map reading lamps	Complete lamp on 'swan neck' flexible arm	12v LED				
Walkway single LED lights	FEM0442 SPLED illuminator	12v LED				
Awning lamp, LED	500mm LED complete unit	12v 2.2W LED				
Ceiling light, round, recessed	FEM0857 LED complete lamp	12V LED				
Bathroom downlighter, Chrome	Halogen capsule bulb	GU4 12v 5W				
China locker light	Cold cathode 4.5W light	12v 4.5W CCFL				
Over locker lights	FEM1035 LED strip	12v LED				

Note: Not all lights feature on all models within a range

ROAD LIGHTING, PANEL VAN REAR LIGHT CLUSTER ACCESS

REAR ROAD LIGHT CLUSTERS

Bulb access is from the rear of the cluster. Please see the Fiat handbook for specific details of the clusters and individual lights contained within them

The rear road light clusters are secured to the rear of the motorhome via nuts located on the rear of the cluster. To access these fixing nuts, an internal panel must be removed.

Two angled panels can be found at the rear of the motorhome, close to the rear door hinges. In the upper sections of these panels, a removable section exists (the removable panel may also house remote thermostats, light switches etc).

To remove the panel, first locate single screw cover caps at the top of the panel, using a flat bladed screwdriver or similar. Removing the screws will then allow the panel to be pulled up away from the corner of the vehicle, exposing a void with access to the rear of the lamp clusters.

Reverse the procedure and push fit the screw cover cap back into place once complete.

ROAD LIGHTING, FRONT OF VEHICLE

Please see the information contained within the Fiat or Peugeot handbook for details of access to headlight or side repeater bulbs.